



ABN 43 064 478 842

➤ 231 osborne avenue clayton south, vic 3169  
PO box 1548, clayton south, vic 3169  
t 03 9265 7400 f 03 9558 0875  
freecall 1800 680 680  
[www.tmgtestequipment.com.au](http://www.tmgtestequipment.com.au)

## Test & Measurement

- sales
- rentals
- calibration
- repair
- disposal

## Complimentary Reference Material

This PDF has been made available as a complimentary service for you to assist in evaluating this model for your testing requirements.

TMG offers a wide range of test equipment solutions, from renting short to long term, buying refurbished and purchasing new. Financing options, such as Financial Rental, and Leasing are also available on application.

TMG will assist if you are unsure whether this model will suit your requirements.

Call TMG if you need to organise repair and/or calibrate your unit.

If you click on the “Click-to-Call” logo below, you can call us for FREE!

TMG Corporate Website

TMG Products Website



Click-to-Call  
TMG Now



### Disclaimer:

All trademarks appearing within this PDF are trademarks of their respective owners.



## The NIC 622M

The Digital Lightwave NIC 622M Network Information Computer is a truly portable intuitive testing platform for global SONET/SDH and PDH networks.

The Digital Lightwave NIC 622M™ Network Information Computer® is a portable instrument for verifying and qualifying the performance of telecommunications networks and embedded network elements.

With a flexible software/firmware-based architecture, the multi-functional NIC 622M combines in a single platform a multitude of traditional hardware-based test sets required to install, monitor, and maintain today's global multi-protocol networks.

Providing a broad range of capabilities in a compact package weighing less than 6 kg (depending on configuration), the NIC 622M can simultaneously and independently test protocols ranging from DS0/64 Kbps through OC-12/STM-4.

The NIC 622M is easy to use, with intuitive touch-sensitive GUI capabilities that allow technicians of any experience level to operate the unit. Its flexible design lets you configure the NIC 622M to meet your current needs, then upgrade quickly and inexpensively as your network environment changes. The NIC 622M is also fully interoperable with the entire NIC product line, providing a broad range of diagnostic capabilities.




# The NIC 622M

The Network Information Computer product family is a comprehensive line of portable analyzers used during the design, manufacture, installation, and maintenance of global communications networks, including G.709 OTN (OTU 1 and OTU 2), SONET/SDH, DWDM/OSA, GigE, 10/100 Ethernet, ATM, PoS, Jitter, and T/E-Carrier.

## Major Features:

- Simultaneous and independent testing of PDH and SONET/SDH. Separate protocol processors for PDH (DS1/E1, DS3/E3, E4) and SONET/SDH (includes STM-0 through STM-4, and OC-1 through OC-12).
- Internal DS1/DS3 and E1/E3 drop/insert from SONET/SDH, built-in M13/E13
- SONET/SDH 1310 nm, 1550 nm, or 1310/1550 nm switchable wavelength laser option
- Alarm/error generation and analysis
- Test set configuration with graphical switch matrix
- Auto configuration to pattern level
- Troublescan
- 10.4" active matrix color display with touch screen
- Dual-slot PCMCIA interface
- Built-in optical power and frequency measurement
- Remote control GUI
- Software/firmware upgradeable via Web
- SCPI over GPIB, TCP/IP, or RS-232

Specifications are subject to change without notice.



Connector Panel

## General Specifications

Operating Temperature: 0° to 40° C @ 85% RH  
Storage Temperature: -20° to 60° C @ 95% RH  
Power Requirements: 100 to 120 and 200 to 240 V AC, 50 to 60 Hz  
Dimensions: 10.1 H x 12.3 W x 4.7 D in (257 x 312 x 120)  
Weight: 10.5 lb

## Auxiliary Interfaces

RS-232 Async: V.24, DB-9  
Parallel Port: DB-25  
DCC: RS-449, DB-15  
Orderwire: Handset jack (A-law)  
BITS/SETS Clock: Bantam  
Input/Output Trigger: SMA  
Jitter Out  
PCMCIA: Dual Slot: 2-Type II or 1-Type III  
10 BaseT: RJ-45  
USB  
802.11B: Wireless LAN  
PCMCIA support

## Ordering Information

For complete feature availability, ordering and pricing information, call your Digital Lightwave sales representative at +1 727 442 6677, +1 800 548 9283, or visit our Web site at [www.lightwave.com](http://www.lightwave.com).



Americas  
Corporate Headquarters  
15550 Lightwave Drive  
Clearwater, FL 33760  
Toll free: +1 877 442 DIGL  
T: +1 727 442 6677  
F: +1 727 442 5660

Europe/Middle East/Africa  
Lakeside House  
1 Furzeground Way  
Stockley Park, UK  
Uxbridge UB11 1BD  
T: +44 (0) 02086 223023  
F: +44 (0) 02086 223200

Asia/Pacific Rim  
Braeside Grove  
Unit 4, Sibthorpe Street  
Braeside, Victoria,  
Australia 3195  
T: +61 3 9587 4900  
F: +61 3 9587 4990

Asia/Pacific Rim  
Room 308A, Tower B  
He Qiao Bldg, Guanghua Rd.  
Chao Yang District  
Beijing, China 100026  
T: 8610 65815317/5327  
F: 8610 65815327