



ABN 43 064 478 842

➤ 231 osborne avenue clayton south, vic 3169
PO box 1548, clayton south, vic 3169
t 03 9265 7400 f 03 9558 0875
freecall 1800 680 680
www.tmgtestequipment.com.au

Test & Measurement

- sales
- rentals
- calibration
- repair
- disposal

Complimentary Reference Material

This PDF has been made available as a complimentary service for you to assist in evaluating this model for your testing requirements.

TMG offers a wide range of test equipment solutions, from renting short to long term, buying refurbished and purchasing new. Financing options, such as Financial Rental, and Leasing are also available on application.

TMG will assist if you are unsure whether this model will suit your requirements.

Call TMG if you need to organise repair and/or calibrate your unit.

If you click on the “Click-to-Call” logo below, you can call us for FREE!

TMG Corporate Website

TMG Products Website



Click-to-Call
TMG Now



Disclaimer:

All trademarks appearing within this PDF are trademarks of their respective owners.

8000 Series TekConnect® Probe Interface

► 80A03



Probe Interface Module for the CSA/TDS8000 Series Oscilloscope

The 80A03 TekConnect® Probe Interface Module extends the capabilities of the CSA/TDS8000 series oscilloscope and makes debugging today's high-performance electrical and optical designs a little easier. Using the 80A03 with the CSA/TDS8000 series oscilloscope, design engineers can benefit from Tektronix industry-leading active and differential probes to measure signals on SMD pins and other challenging circuit features.

The 80A03 plugs into any of the four electrical sampling module slots on the CSA/TDS8000 and provides probe power and control for up to two Tektronix P7000 series probes. The seamless integration enables the CSA/TDS8000 oscilloscope to automatically adjust its scale factor to match the probe. The 80A03 is powered through the oscilloscope and requires no user adjustments or external power cords. The integrated extender cable places the

probe near the circuit for easier probing without stretching the cables. An electrical sampling module is plugged directly into the slot on the 80A03 to provide the optimum signal fidelity and a short electrical path.

Tektronix High-performance Probing Solutions

Tektronix offers a variety of industry-leading active and differential probes. The P7260 6 GHz active probe offers the highest bandwidth available in a single-ended active probe. The P7350 5 GHz differential probe enables true differential probing of electrical signals. The P7350SMA 5 GHz differential probe provides a true-differential SMA input. Tektronix high-performance probes feature small probe heads and numerous adapters to provide a flexible and reliable connection to the device under test (DUT).

► Features & Benefits

Interfaces Tektronix P7000 Series High-performance Active and Differential Probes to CSA/TDS8000 Series Sampling Oscilloscopes

Enables True-differential Probing Using the Tektronix P7350 and P7350SMA 5 GHz Differential Probes

Allows Easy Probing of SMDs with the Small Head Design of P7000 Series Probes and Numerous Adapters and Accessories

Seamless Integration

- Automatically Scales Measurement for Probe Attenuation Setting
- Requires No User Adjustments
- Powered Through the Oscilloscope Interface - Requires No External Power Cord

Integrated Extender Cable Plugs into any of the Four Electrical Sampling Module Slots

Upgradeable to Future Higher-bandwidth Active and Differential Probes

► Applications

Communications (Gigabit Ethernet, Fibre Channel, InfiniBand)

Semiconductor Characterization & Validation (PCI-Express, Serial ATA, IEEE 1394, USB 2.0, RAMBUS, DDR)

High-speed Digital Systems Design

Component Design/Characterization

Manufacturing Engineering and Test

COMPUTING

COMMUNICATIONS

VIDEO

8000 Series TekConnect® Probe Interface

► 80A03

The 80A03 supports the complete line of TekConnect probes including:

- **P7350** – 5 GHz active differential probe
- **P7350SMA** – 5 GHz active differential probes with SMA inputs
- **P7330** – 3.5 GHz active differential probe
- **P7260** – 6 GHz active probe
- **P7240** – 4 GHz active probe
- **P7225** – 2.5 GHz active probe

► Characteristics

Probe Input Connectors – TekConnect probe interface compatible with P7000 series probes.

Signal Output Connectors – SMA.

Module Slot – Compatible with Tektronix 80Exx modules.

Input/Output Impedance – 50 Ω .

Physical Characteristics

Dimensions	mm	in.
Width	193	7.6
Height	89	3.5
Depth	198	7.8
Cable Length	914	36
Weight	kg	lbs.
Net	1.5	3.4

► Ordering Information

80A03

TekConnect Probe Interface Module.

Includes: User manual, 2 – SMA semi-rigid jumper cables.

Service Options

Opt. R3 – Repair Service 3 Years.

Opt. R5 – Repair Service 5 Years.

Recommended Probes

P7350SMA – 5 GHz Differential Probe with SMA inputs.

P7350 – 5 GHz Differential Probe.

P7330 – 3.5 GHz Differential Probe.

P7260 – 6 GHz Active Probe.

P7240 – 4 GHz Active Probe.

P7225 – 2.5 GHz Active Probe.

Contact Tektronix:

ASEAN / Australasia / Pakistan (65) 6356 3900

Austria +43 2236 8092 262

Belgium +32 (2) 715 89 70

Brazil & South America 55 (11) 3741-8360

Canada 1 (800) 661-5625

Central Europe & Greece +43 2236 8092 301

Denmark +45 44 850 700

Finland +358 (9) 4783 400

France & North Africa +33 (0) 1 69 86 80 34

Germany +49 (221) 94 77 400

Hong Kong (852) 2585-6688

India (91) 80-2275577

Italy +39 (02) 25086 1

Japan 81 (3) 3448-3010

Mexico, Central America & Caribbean 52 (55) 56666-333

The Netherlands +31 (0) 23 569 5555

Norway +47 22 07 07 00

People's Republic of China 86 (10) 6235 1230

Poland +48 (0) 22 521 53 40

Republic of Korea 82 (2) 528-5299

Russia, CIS & The Baltics +358 (9) 4783 400

South Africa +27 11 254 8360

Spain +34 (91) 372 6055

Sweden +46 8 477 6503/4

Taiwan 886 (2) 2722-9622

United Kingdom & Eire +44 (0) 1344 392400

USA 1 (800) 426-2200

USA (Export Sales) 1 (503) 627-1916

For other areas contact Tektronix, Inc. at: 1 (503) 627-7111

Updated 20 September 2002

Our most up-to-date product information is available at:
www.tektronix.com

Product(s) are manufactured
in ISO registered facilities.



Copyright © 2003, Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks or registered trademarks of their respective companies.

06/03 HB/SFI

85W-16686-0