

ABN 43 064 478 842

231 osborne avenue clayton south, vic 3169 PO box 1548, clayton south, vic 3169 t 03 9265 7400 f 03 9558 0875 freecall 1800 680 680

www.tmgtestequipment.com.au

Test & Measurement

- sales
- rentals
- calibration
- repair
- disposal

Complimentary Reference Material

This PDF has been made available as a complimentary service for you to assist in evaluating this model for your testing requirements.

TMG offers a wide range of test equipment solutions, from renting short to long term, buying refurbished and purchasing new. Financing options, such as Financial Rental, and Leasing are also available on application.

TMG will assist if you are unsure whether this model will suit your requirements.

Call TMG if you need to organise repair and/or calibrate your unit.

If you click on the "Click-to-Call" logo below, you can all us for FREE!

TMG Corporate Website TMG Products Website Leuel 4 Disposal Disposal Click-to-Call TMG Now ○ Leuel 5 Review & Leuel 3 Repair Renew Review & Renew Repair Calibration Calibration Recycled Acquisition Leuel 1 Acquisition **Purchase** Lease Solution Centre Rent

Product Lifecycle Management System

Disclaimer:

All trademarks appearing within this PDF are trademarks of their respective owners.









ABN 43 064 478 842

231 osborne avenue clayton south, vic 3169 PO box 1548, clayton south, vic 3169 t 03 9265 7400 f 03 9558 0875 freecall 1800 680 680

www.tmgtestequipment.com.au

Test & Measurement

- sales
- rentals
- calibration
- repair
- disposal

Complimentary Reference Material

This PDF has been made available as a complimentary service for you to assist in evaluating this model for your testing requirements.

TMG offers a wide range of test equipment solutions, from renting short to long term, buying refurbished and purchasing new. Financing options, such as Financial Rental, and Leasing are also available on application.

TMG will assist if you are unsure whether this model will suit your requirements.

Call TMG if you need to organise repair and/or calibrate your unit.

If you click on the "Click-to-Call" logo below, you can all us for FREE!

TMG Corporate Website TMG Products Website Leuel 4 Disposal Disposal Click-to-Call TMG Now ○ Leuel 5 Review & Leuel 3 Repair Renew Review & Renew Repair Calibration Calibration Recycled Acquisition Leuel 1 Acquisition **Purchase** Lease Solution Centre Rent

Product Lifecycle Management System

Disclaimer:

All trademarks appearing within this PDF are trademarks of their respective owners.








High Power Termination MODEL WA1495

DC - 18.0 GHz

200 WATTS



Features

Designed to meet MIL-A-3933 environmental specifications.

Epecifications

Nominal Impedance: 50 ohms

Frequency Range: DC -18.0 GHz

Power Rating: 200W CW/ 1 KW peak to 25°C ambient temperature, derated linearly to 15 watts at 125°C, 1 kilowatt peak (5 µsec pulse width; 2.5% duty cycle).

Temperature Range: -55°C to +125°C:

Construction: Black finned aluminum alloy body with passivated stainless steel connectors. Gold plated beryllium copper or stainless steel contacts.

Connectors: Type N stainless steel M/F connectors per MIL-STD-348A, interface dimensions mate nondestructively with MIL-C-39012.

Maximum VSWR: 1.50:1

Weight: 1.2 kg/ 42 oz

Physical Dimensions:

Length: "A" Dimension

Connector	Length
-3 Type N (f)	345 (13.6)
-4 Type N (m)	350 (13.75)

Diameter: 63.50 (2.50)

Note: Dimensions are given in mm (inches) and are maximum, unless otherwise specified.



WEINSCHEL ASSOCIATES

TEL: 877.948.8342 / 301.963.4630 ◆ Fax: 301.963.8640 WEB: http://www.weinschelassociates.com

EMAIL: sales@weinschelassociates.com