

ABN 43 064 478 842

231 osborne avenue clayton south, vic 3169
 PO box 1548, clayton south, vic 3169
 t 03 9265 7400 f 03 9558 0875
 freecall 1800 680 680
 www.tmgtestequipment.com.au

Test & Measurement

Complimentary Reference Material

sales
 rentals
 calibration
 repair
 disposal
 This PDF has been made available as a complimentary service for you to assist in evaluating this model for your testing requirements.
 TMG offers a wide range of test equipment solutions, from renting short to long term, buying refurbished and purchasing new. Financing options, such as Financial Rental, and Leasing are also available on application.
 TMG will assist if you are unsure whether this model will suit your requirements.
 Call TMG if you need to organise repair and/or calibrate your unit.
 If you click on the "Click-to-Call" logo below, you can all us for FREE!



Disclaimer:

All trademarks appearing within this PDF are trademarks of their respective owners.










100kHz & 1MHz Oscillating Magnetic Field Module


IEC 61000-4-10 describe an oscillating magnetic field generator. The oscillating magnetic field is used to test the immunity of electronic equipment to be installed in high voltage sub-stations.

Safety is paramount when AC and impulse voltages are being used. The PIM 155 High Voltage connections are all designed so no accidental contact can occur.

PIM 155 with the PSURGE 8000 Surge Platform can perform all the programming functions required to perform IEC and ANSI testing without the need of a control computer. A **high accuracy current probe** is delivered with the PIM155 to verify the induction coil currents.

The integration in the WinFEAT&R **control and reporting software** package enhances an efficient set-up and operation of this test system. Most importantly, the test load can be transferred to a computer freeing valuable resources.





Features

- I00kHz & 1MHz frequencies
- ☑ Magnetic field strength up to **100A/m**
- ☑ Repetition rate of 400Hz @ 1MHz
- ☑ Variable burst duration

Benefits

International application – Specifically designed to meet and exceed the requirements of IEC, EN, and ANSI tests for power line applications.

Safe and Easy - The interlocked HV section and the specially designed output sockets, allow your operators to test safely and easily.

Sturdy and Reliable - Careful component selection ensures that the PIM 155 will continue to operate under the most strenuous testing conditions.

Report Generation - The unit can automatically generate test reports without a computer. Add WinFEAT&R control and reporting software to collect and collate data in any format you like.

Applications

- ☑ IEC 61000-4-10
- ☑ EN 61000-4-10

Technical Specifications

| Burst Frequency | 100kHz & 1MHz | Impulse Polarity | Positive, Negative & Alternating |
|----------------------------|--------------------------------|------------------|--------------------------------------|
| Impulse Repetition | 40 Hz & 400Hz | Damping Rate | 50% Vpk between 5th and 10th peak |
| Current Range | 6.5 – 120A | Coil Factor | 0.83 |
| Magnetic Field Strength | 5.4A/m100A/m | | |
| Weights and Dimer | nsions (W x H x D, net weight) | | |
| PIM 155 4 | 5 x 20 x 57 cm | 44 lbs (29 kg) | |


■ PIM 155 Art. No. 249194 Scope of supply

- Qty. 1 PIM 155 Impulse Module
- Qty. 1 HV DC Bus cable 1m
- Qty. 1 Haefely Bus cable 0.5m
- Qty. 1 Earth bonding cable 1m
- Qty. 1 Earth bonding cable 0.25m
- Qty. 1 MSURGE Coil 1m x 1m
- Qty. 1 Users Manual

Options and Accessories

- WinFEAT&R Control and reporting software. Runs under windows 98, NT, ME, 2000, XP
- Rack Mounting Modules can be rack mounted for greater mechanical stability and mobility.

WinFEAT&R Control Window



Headquarters Haefely Test AG Lehenmattstrasse 353 CH-4052, Basel Switzerland

2 + 41 61 373 41 11
 3 + 41 61 373 45 99
 5 EMC-sales@haefely.com

Haefely has a policy of continuous product improv

Locate your local sales representative at www.haefelyEMC.com





North American Office Hipotronics Inc. Haefely EMC Division 1650 Route 22 Brewster, NY 10509

 [☎] ++1 845 279 3644 x262
 [≞] ++1 845 279 2467
 ^Ξ EMCsales@hubbell-haefely.com

notice.