





Enabling Australia's Field Technicians to build, troubleshoot and maintain better communications networks.



This reference material is provided by TMG Test Equipment, VIAVI's **only** Master Distributor for Contractors in Australia





Finance Available



Short to Medium Project-Based Rental Solutions



Dedicated Technical & After-Sales Support



In-house Diagnostics, Repair & NATA Calibration Laboratory





FM-C Field Microscope

Coaxial Illumination Handheld Optical Microscope for Fiber Inspection



Key Features

- · Rugged, ergonomic design for field use
- LED illumination for 100,000+ hour life
- Coaxial illumination for the highest level of detail; most critical view of fiber end face cleanliness and condition
- Integrated laser safety filter

FM-C Field Microscope

The FM-C-series microscopes use **coaxial illumination** to provide users with maximum detail. It easily can detect the finest scratches and contamination, making it ideal for critically inspecting polish quality. It is available in 100, 160, 200, 320, or 400X magnification models that use energy-efficient light emitting diode (LED) illumination to provide 100,000+ hours of lamp life. The rubber boot provides a slipresistant grip; while the built-in laser safety filter provides a high level of attenuation at the most common wavelengths for accidental viewing of live fiber. Its durability, ergonomic design, optical performance, and ease-of-use make it the optical instrument of choice for viewing fiber terminations in sensitive installations.

The JDSU FM-C microscopes use FMA-series adapters that let users inspect various connector types.

Applications

- Inspect patch cord (male) side of fiber interconnect
- Inspect various connector types with a wide selection of interchangeable adapters

Coaxial Illumination

Coaxial illumination provides the most critical view of fiber end face conditions while maximizing details. In this method, light travels along the same axis as the sample inserted, producing a highly detailed image of fine scratches and contamination.





FMA Adapters

FMA-U12

Inspects Universal 1.25 mm patch cords





Inspects Universal 2.5 mm patch cords




Inspects MTP® (multi-fiber) patch cords



For a complete list of FMA adapters, go to www.westoverfiber.com.

Laser Safety

JDSU fiber microscopes include a laser safety feature to help prevent damage to the eye if a user accidentally views live fiber. Under no circumstances should a user purposely view live fiber with any optical microscope, as it poses significant risk of damage to the eye.



FM-C Specifications

| Dimensions | 24.0 x 5.5 x 3.7 cm (9.4 x 2.2 x 1.5 in) | |
|--|--|--|
| Weight | 0.45 kg (1.0 lbs) | |
| 100X Magnification field-of-view (FOV) | 1050 μm | |
| 160X Magnification FOV | 1050 μm | |
| 200X Magnification FOV | 950 μm | |
| 320X Magnification FOV | 540 μm | |
| 400X Magnification FOV | 475 μm | |
| Infrared (IR) attenuation filter | Built-in | |
| Power source | Three AAA alkaline batteries | |
| LED life | 100,000 hours | |
| Warranty | 1 yr | |

Ordering Information

| FM-C100 | 100X coaxial illumination field microscope; 2.5 mm FMA adapter | | |
|----------|---|--|--|
| FM-C160 | 160X coaxial illumination field microscope; 2.5 mm FMA adapter | | |
| FM-C200 | 200X coaxial illumination field microscope; 2.5 mm FMA adapter | | |
| FM-C320 | 320X coaxial illumination field microscope; 2.5 mm FMA adapter | | |
| FM-C400 | 400X coaxial illumination field microscope; 2.5 mm FMA adapter | | |
| FM-C99 | 200X and 400X coaxial illumination fiber microscope; 2.5 mm FMA adapter | | |
| FM-CX100 | 100X coaxial illumination field microscope | | |
| FM-CX160 | 160X coaxial illumination field microscope | | |
| FM-CX200 | 200X coaxial illumination field microscope | | |
| FM-CX320 | 320X coaxial illumination field microscope | | |
| FM-CX400 | 400X coaxial illumination field microscope | | |
| FM-CX99 | 200X and 400X coaxial illumination fiber microscope | | |

Test & Measurement Regional Sales

| NORTH AMERICA | LATIN AMERICA | ASIA PACIFIC | EMEA | www.jdsu.com/inspect |
|---------------------------|----------------------|---------------------|-----------------------|----------------------|
| TOLL FREE: 1 866 228 3762 | TEL: +1 954 688 5660 | TEL: +852 2892 0990 | TEL: +49 7121 86 2222 | |
| FAX: +1 301 353 9216 | FAX: +1 954 345 4668 | FAX: +852 2892 0770 | FAX: +49 7121 86 1222 | |