



# Honeywell

**We understand commitment to safety.**

***You rely on your workers to get the job done  
and they count on you to keep them safe.***



**Industry Best Pricing**



**Finance Available**



**Short to Medium Project-Based Rental Solutions**



**Dedicated Technical & After-Sales Support**



**In-house Diagnostics, Repair & NATA Calibration Laboratory**



**FREECALL 1800 680 680**



**Honeywell**  
THE POWER OF CONNECTED

**MILLER**

**HOWARD  
LEIGHT**



This reference material is provided by TMG Test Equipment, a Honeywell Certified Service Agent and Channel Partner



# AIR MONITORING FOR FORWARD- MINDED BUSINESSES

A cost-effective monitor that alerts when conditions are present that may increase the risk of exposure to airborne transmission risk based on CO<sub>2</sub> and activity levels\*



Honeywell





Research conducted by scientists at the University of Colorado<sup>1</sup> has shown that real-time monitoring of indoor ambient air can be an indicator of increased risk of airborne viral transmission, utilizing different levels of risk-based factors such as CO<sub>2</sub> concentration levels and the type of human activity in the area.\*

Using this guidance and Honeywell algorithms, we identified air quality conditions that are driven by common activities and variables such as average room size, number of people present, breathing rate, and duration. The device comes with three pre-programmed indoor activity settings. For each setting, the monitor provides indications using a traffic light pattern (green, yellow, or red) and a sound alarm so users can be aware of conditions that may increase the risk of airborne transmission based on multiple factors such as detectable CO<sub>2</sub> levels, room temperature, and humidity.

**DR. LINSEY MARR,  
ENGINEERING  
PROFESSOR, AVID  
EXERCISER, & ONE  
OF THE WORLD'S  
LEADING EXPERTS ON  
VIRAL TRANSMISSION  
ADVISED...**

"Trying to keep indoor carbon dioxide levels even lower, to around 500 parts per million, and to increase ventilation if the number begins to creep toward 600.<sup>2</sup>"



# COST-EFFECTIVE & USER-FRIENDLY



## REAL-TIME MONITORING OF INDOOR AMBIENT AIR CONDITIONS CAN BE AN INDICATOR OF INCREASED RISK OF AIRBORNE VIRAL TRANSMISSION\*

Using proprietary technology that monitors CO<sub>2</sub> levels combined with settings to account for human activity levels in an indoor area, the **Honeywell Transmission Risk Air Monitor** is a portable, cost-effective, and user-friendly solution that alerts when conditions are present that may increase the risk of exposure to airborne transmission.

The device comes with three pre-programmed indoor activity settings: low, medium, and high activity and is recommended for coverage of 800-1000 square feet. For each setting, the monitor provides indications using a traffic light pattern (green, yellow, or red) and a sound alarm so users can be aware of conditions that may increase the risk of airborne transmission based on multiple factors such as detectable CO<sub>2</sub> levels, room temperature, and humidity.

Honeywell Gas Analysis and Safety is a leader in gas detection technology protecting workers around the globe. This monitor was developed utilizing our leading technology to support restaurants, gyms, and library's efforts in "in-person" activities.




### Activity Based Settings



#### Low Activity

Reading, quietly talking, 6-foot social distancing, activity duration less than 30 minutes



#### Medium Activity

Eating, Talking loudly, 6-foot social distancing, activity duration less than 45 minutes



#### High Activity

Running, jumping, exercising, limited social distancing, higher exhalation rate, activity duration over 45 minutes

The Federation of European Heating, Ventilation and Air Conditioning Associations (REHVA) recommends using CO<sub>2</sub> measuring devices indoors to assess risks of SARS-CoV-2 transmission via aerosols<sup>3,4</sup>.

**\* The Honeywell Transmission Risk Air Monitor (HTRAM) analyzes specific air quality conditions and alerts the user when conditions are present that may increase risk of potential exposure to airborne viral transmission. It does not prevent or reduce virus transmission nor mitigate viruses that may be present, nor does it detect or warn against the presence of any virus, including but not limited to COVID-19. Even at lower risk levels caution is required to prevent viral transmission. The HTRAM does not repel or destroy any microorganism, viruses, bacteria, or germs.**

- It is buyer's sole responsibility (1) to determine the suitability of the HTRAM for use in its application; (2) to operate the HTRAM in accordance with the User Manual and any other instructions provided by Honeywell and in compliance with all applicable laws, rules and regulations; and (3) to determine, based on buyer's experience, expertise, and other available tools, the suitability of any product or service it may offer or recommend to the end user.
- Buyer is responsible for determining whether the product is appropriate for use under certain international, federal, state or local guidelines, and is likewise responsible for determining whether the HTRAM qualifies for any government programs, including without limitation, reimbursement plans.
- Any recommendations or assistance provided by Honeywell regarding the use or operation of the HTRAM – through our literature, the Honeywell web site, or otherwise – shall not be construed as representations or warranties of any kind, express or implied, and such information is accepted at buyer's own risk and without any obligation or liability to Honeywell. The information we supply in this data sheet is believed to be accurate and reliable as of this writing. However, specifications may change without notice, and Honeywell assumes no responsibility for its use.
- The HTRAM does not detect for levels of CO<sub>2</sub> that would make for an unsafe or unsuitable breathing environment.

<sup>1</sup> <https://tinyurl.com/FAQ-aerosols>

<sup>2</sup> <https://www.nytimes.com/2021/03/22/well/move/exercise-classes-gym-coronavirus-covid.html>

<sup>3</sup> <https://www.rehva.eu/activities/covid-19-guidance>

<sup>4</sup> <https://www.rehva.eu/activities/covid-19-guidance/rehva-covid-19-faq>

<sup>5</sup> <https://pubs.acs.org/doi/10.1021/acs.estlett.1c00183>



**Head Office  
TMG Test Equipment  
231 Osborne Avenue,  
Clayton South  
Victoria 3169  
1800-680-680**